

**SHREE SALASAR**  
TRADING COMPANY



**PACKAGING (INDIA) INDUSTRIES**

*Quality Bonding Product*



**PACKAGING SOLUTION**



**WE OFFER**

Export Container Lashing | Cordstrap Polyester Strapping | Cargo Lashing Belts | Dunnage Air Bags  
Warehousing Belts | Strapping Tools | ODC Cargo Lashing | Container Desiccants Moisture Absorber  
PET Strapping | Pneumatic Strapping Machine | Pneumatic Strapping Machine | Stretch Film  
Stretch Wrapping Machine | Cartoon Tapping Machine | Automatic Box Strapping

**WEBSITE**



New Survey No.749 Old Survey No.217/ Plot No.3, Industrial Factory Building, Village Dadra, Silvassa, DNH & DD - 396230  
Mob.: 9737566724, 9426409866, 7043215810 • E-mail : sstc84@gmail.com , info@salasarpackaging.com

## CONTAINER LASHING SERVICE PROVIDERS

### QUALITY

We would like to provide you our company details with immense pleasure. SHREE SALASAR TRADING COMPANY is fast emerging as the company focussed on total cargo securing solutions to solve transit damage problems.

From Co-extruded high tenacity polyester twist yarns embedded in a polymer coating. It is called polyester corded composite strapping due to its composite structure.

Due to its superior properties, composite strapping is preferred for heavy loads and loads carried under difficult conditions.

### Cord Strap Polyester Corded Composite Strap's Most Important Features :

- High Strength
- Shock Absorbent
- Does not Get Loose (High Retained Tension)
- Highly Elastic and Flexible
- No Sharp Edges That Could Damage Your Products
- Does Not Damage Cargo
- Resistant to Severe Weather Conditions and UV
- Cost-Effective
- Light-Weight
- Rust-Proof, Doesn't Rust or Corrode
- Resistant to Chemicals
- Fast and Easy to Use
- Safe Usage
- Co-Strap Composite
- GL European Certificate
- AAR UK Certificate



## PALET PACKAGING



## WIDE RANGE OF APPLICATION COVERAGE

It is widely used in steel industry, chemical fibre industry, aluminum ingots, paper industry, brick kiln, screw industry, tobacco industry, electronics, textile, machinery and wood industry, etc.

### Cord Strap Twist Yarn (Heavy Duty)

Cord Strap Size 13mm, 16mm, 19mm, 25mm, 32mm



## WEBBING POLYESTER STRAP & BUCKLE



## ODC CARGO LASHING



## BOX STRAPPING MACHINE

### SSTC - 50C

Power: 110-120/200-240V 50/60 Hz 1PH 0.25kW 2.5 A

Packing Speed: ≤2 Second/ Path

Tension Range: 5 kg-50 kg

Working Table Height: 730 mm

Min. Packaging Size: 60 mm\*60mm

Weight: N.W.: 80kg G.W.: 90kg

Application Width: 5 mm-15 mm

Application Thickness: 0.5 mm-085 mm

Storage Temperature: -250 C-550 C

Machine Size: L 850 mm\*W 545 mm\*H 730 mm



BALL BEARING TABLE TOP

**New Technology Machine | Two High Speed Dc Motor | 70% Power Saving | 65% Maintenance Savings  
Top Cover 3.2 mm Thickness | 1 Year Experience Warranty | Easy To Self Service**

\*Note: Our machine's mechanism is compact electricity earthing proper required. Than only warranty will be applied

## PNEUMATIC STRAPPING MACHIN

### A-19/25

### AQD-19/25

### R-19

Color: Metallic Grey

Apply Strap: PP&PET

Seal Straps Form: Friction & Hot Welding

Specification: 13-25

Strap: 0.5-1.5

Force: 3500 4000N

Using Air Pressure: 0.5-0.8

Splicing Time: 1-5 Adjustable

Dimensions: L278.5\*H149.5\*W173

Weight: 3.8



## Stretch Wrapping New Technology Machine

**MH-FG-2000A Mechanical Stretch**  
**MH-FG-2000B Power Pre-Stretch Automatic Pallet Stretch Wrapper**

Best Quality Electric Parts Soft Start/Stop, Home Position, PLC Control, Reliable Performance, Easy Operation Sensor Test Pallet Height

- **Power Voltage**  
1 P AC 220/111V 50/60 Hz 1.0/1.25kw
- **Speed of Turntable**  
0~10r/min Dia. of Turntable  
  
ø 1500mm (Optional ø1650/ø1800/ø2000/ø2200)
- **Mast Height**  
H2400mm (Optional 2000/2700/3000/3200/3400)
- **Film**  
LLDPE Film, Width ≤ 500mm, out diameter ≤ 280mm
- **Capacity**  
ø 1500mm : 1500 kg, ≥ ø 1650 mm : 2000 kg
- **Package Size** ≥ 2650x1650x800mm
- **Noise** ≤ 75DB
- **Surroundings**  
Humidity ≤ 98%, Temperature -100C-400C
- **Lubricating Material**  
Common Lubricating Grease
- **Optional**  
Ramp Panel LCD Control Box Magnetic Clutch

### Electrical Specification

**PLC** : Koran LG  
**Inverter** : French Schneider  
**Travel Switch** : French Schneider  
**Button Switch** : French "TE"  
**Connector** : French "TE"  
**Sensor** : German Technology  
**Motor** : Meiwa



## OUR PRODUCT

### Polyester CordLashing



### Polyester CordStrap



### Polyester Pet Strap



### PP Strapping



### Stretch Film



### Cordlashing Tensioner



### Strapping Dispensers



### Cord Strap Lashing Tool



### Manual Strapping Tool



### Pneumatic Lashing Tool



### PP PET STRAPPING TOOL



### Battery Powered Strapping Tool



### Automatic Box Strapping



### Cartoon Tapping Machine



### Cord Strap Buckles

